

# SAFETECH

Welcome to an introduction to one of Safetech's many materials handling products. This attachment provides a product overview and should assist you to make a more informed purchasing decision.

Below you will find:

- Detailed product information
- Technical Specifications
- Product pictures
- A link to the Safetech website for further information



## SAFETECH STRETCH WRAPPERS

From entry level, manual carriage wrappers through powered pre stretch semi-automatics to high volume fully automatic wrappers, Safetech can supply a machine suited to your needs.

Stretch wrappers are effective at preventing back strain and injury and decrease the costs of stretch film by reducing the amount of film needed to contain a pallet load. They eliminate the dangerous and time-consuming practice of stretch wrapping by hand.

Designed and manufactured in Australia our Easy Wrapper and Lo - Wrapper models are some of the most popular and reliable wrappers currently in use.

### MANUAL WRAPPERS

These wrappers provide a motorised rotating turntable and a mast carriage carrying the film that is operated manually. Safetech's manual wrappers use a counter balanced mast to make the manual raising and lowering of the carriage easy.

### SEMI AUTOMATIC WRAPPERS

The turntable is motorised as above as is the mast to avoid any manual effort. The operator simply attaches the film and starts the wrap cycle with the push of a button. Variable wrap patterns can be selected.



Film usage can be reduced by the application of a tension stretch force to the film. Easy Wrapper and Lo-Wrapper use mechanical stretch that does not stretch the film as much as the powered prestretch available on the Safetech STP Wrapper.

## EASY WRAPPER

The Easy Wrapper is an economical, simple to use stretch wrapper designed for long life. It is durable and priced to suit workplaces with even light to moderate stretch wrapping needs.

Easy wrapper is available in both Manual and Semi Automatic versions.

## EASY WRAPPER MANUAL

### Features

- Fork tyne sockets for easy relocation.
- Large diameter chequerplate turntable.
- Fold down mast for transport.
- Galvanised base assembly, robust mechanism.

### Options

- Soft start or variable speed.
- Three-phase motor and low-voltage controls.
- Kit to allow hand rolls to be used



## EASY WRAPPER SEMI-AUTO

### Features

- Turntable return to start
- 5 set and forget user-wrapping patterns.
- Half, full and top sheet cycles.
- Quick release lever to disengage tensioner.
- Fork tyne sockets for easy relocation.
- Large diameter chequerplate turntable.
- Fold down mast for transport.
- Galvanised base assembly, robust mechanism.
- Improved tensioning system provides constant tension independent of roll diameter.

### Options

- Photoeye height sensing in addition to keyed-in height selection.



- Soft start or variable speed.
- Three-phase motor and low-voltage controls.
- 3200 mm extended mast
- Kit to allow hand rolls to be used

## LO-WRAPPER

Lo-Wrapper is a low profile stretch wrapper that features a turntable height of only 26mm. This allows an operator to use either a hand pallet truck or a forklift to place or remove pallets from the wrapper since a forklift is not always readily available for this task, especially in smaller operations.

Lo-Wrapper is available in both Manual and Semi Automatic versions

## LO WRAPPER MANUAL

The Lo Wrapper manual is an efficient entry level priced, low profile stretch wrapper especially suited to users who wish to load with a hand pallet truck.

### Features

- Ultra low height
- Counter weighted mast

### Options

- Soft start or variable speed.
- Additional ramps (one is supplied standard)
- Relocation frame for easy relocation of the Lo-wrapper.
- Three-phase motor and low-voltage controls.
- Kit to allow hand rolls to be used

## LO WRAPPER SEMI-AUTOMATIC

The Lo Wrapper manual is an efficient entry level priced, low profile stretch wrapper especially suited to users who wish to load with a hand pallet truck.

### Features

- \* Turntable return to start
- \* Software storage for up to 5 user set wrapping patterns.
- \* Half, full and top sheet cycles.
- \* Improved tensioning system provides constant tension independent of roll diameter.
- Quick release lever to disengage tensioner



## Options

- Photoeye height sensing in addition to keyed-in height selection.
- Soft start or variable speed.
- Three-phase motor and low-voltage controls.
- Additional ramps (one is supplied standard)
- Relocation frame for easy relocation of the Lo-wrapper.
- 3200 mm extended mast

# SPECIFICATIONS

## EASY WRAPPER MANUAL

Power:	240 Volt
Rotation speed:	9 rpm
Load capacity:	2000 kg
Shipping weight:	300 kg
Shipping dimension:	3150 long 1400 wide
(with mast lowered)	750 high
Mast height:	2440 mm
Wrapping height:	2200 mm
Turntable height:	110 mm

## EASY WRAPPER SEMI AUTO

Power:	240 Volt
Rotation speed:	9 rpm
Load capacity:	2000 kg
Shipping weight:	300 kg
Shipping dimension:	3450 long 1400 wide
(with mast lowered)	750 high
Mast height:	2650 mm
Wrapping height:	2600 mm
Turntable height:	110 mm

## LO WRAPPER MANUAL

Power:	240 Volt
Rotation speed:	9 rpm
Load capacity:	2000 kg
Shipping weight:	350 kg
Shipping dimension:	3200 long 1300 wide
(with mast lowered)	750 high
Mast height:	2420 mm
Wrapping height:	2200 mm
Turntable height:	26 mm

## LO WRAPPER SEMI AUTO

Power:	240 Volt
Rotation speed:	9 rpm
Load capacity:	2000 kg
Shipping weight:	400 kg
Shipping dimension:	3450 long 1300 wide
(with mast lowered)	750 high
Mast height:	2650 mm
Wrapping height:	2600 mm
Turntable height:	26 mm




DESIGNED AND MANUFACTURED BY SAFETECH PTY LTD  
P.O.Box 360, Moe Victoria 3825  
Telephone: 1800 674566 Fax: (03) 5127 4431  
E-mail: safetech@safetech.com.au  
WWW.SAFETECH.COM.AU

# SAFETECH

## PRODUCT RANGE

Safetech manufacture a wide range of materials handling and pallet wrapping equipment. If you would like more information about products in the following categories then please contact us.

### LIFTING AND LEVELLING



### OVERHEAD HANDLING SYSTEMS

### COMPLETE STRETCH WRAPPING



### PALLET HANDLING

Designed and Manufactured by SAFETECH Pty Ltd  
P.O.Box 360, Moe Victoria 3825 Phone: 1800 674 566 Fax: (03) 5127 4431  
E-mail: [safetech@safetech.com.au](mailto:safetech@safetech.com.au)  
[www.safetech.com.au](http://www.safetech.com.au)